


MULTI**FORME**















MULTIFORME
what we love, what we do

.18

PROGRESSIVE
contemporary shapes

.43

TIMELESS
neverending beauty

.303

MATERIA
touch, see, feel, enjoy

.609



All of the buildings
All of the cars
Were once just a dream
In somebody's head

Peter Gabriel

Light Up Your Dreams


- Siamo una fabbrica di lampadari in vetro artistico, un laboratorio di idee luminose in cui la maestria artigianale è il fuoco che accende la creatività. I nostri lampadari sono creazioni uniche, non convenzionali, opere d'illuminazione che non temono il tempo o le mode e racchiudono nel cuore del vetro l'arte intramontabile delle cose belle.

L'anima artigianale di ciò che facciamo si reinventa ogni volta che inizia un nuovo progetto, quando ci si confronta con esigenze tecniche e richieste estetiche provenienti da architetti e designer. È uno dei nostri punti di forza e ne andiamo fieri: progettiamo e produciamo lampadari su misura, anche in grande scala, secondo i desideri del cliente.

- We are a manufactory of artistic glass chandeliers, a laboratory of luminous ideas, where craftsmanship is the fire that fuels creativity. Our chandeliers are unique, unconventional creations, works of illumination that transcend time and trends, embracing the timeless art of beauty at the heart of glass.

The artisanal essence of our work is reinvented with every new project, as we meet the technical and aesthetic needs of architects and designers. This is one of our greatest strengths: We design and craft bespoke luminaires, including large and oversized pieces, entirely tailored to the client's vision.







Your project, our experience
Your idea, our creativity
Your dream, our light

● Tutto inizia da un'idea o da un colpo di fulmine. Potresti innamorarti di un nostro prodotto o voler trasformare un desiderio in realtà: in ogni caso Multiforme è presente per dargli luce. Ti accompagniamo in ogni fase, dalla progettazione alla produzione, dalla lavorazione del vetro di Murano al montaggio. Nessuna sfida ci spaventa: negli anni ci siamo specializzati in soluzioni d'illuminazione su misura, capaci di affrontare installazioni complesse o particolari con la massima cura e precisione. Il nostro ufficio tecnico fornisce pieno supporto tramite l'invio di progetti, proposte grafiche, render, e disegni tecnici. Attraverso una squadra multidisciplinare realizziamo prototipi e modelli in tempi rapidi, rispondendo anche a richieste particolari, fuori scala o personalizzazioni specifiche. Multiforme rappresenta un ponte tra l'immaginazione dei designer e la realizzazione concreta, un luogo dove la poesia prende forma attraverso la cultura del Fare.

● It all starts with an idea - or love at first sight. Perhaps you've fallen for one of our creations, or you dream of bringing a unique vision to life. Whatever the case, Multiforme is here for you. From concept to production, from Murano glass craftsmanship to final assembly, we guide you every step of the way. No challenge is too great, as we specialize in custom lighting solutions that demand exceptional skill, even for complex or unconventional installations. Our technical office offers comprehensive support, including graphic proposals, renderings, and technical drawings. Thanks to our multidisciplinary team, we develop prototypes and models in the shortest possible time, allowing us to meet highly specific or custom requests. Multiforme is the bridge between a designer's imagination and its tangible realization - a place where poetry takes shape through craftsmanship, tradition, and the culture of making.







Legenda

- quantità e tipologia fonte luminosa | quantity and typology light source • 
- dimensioni prodotto | product dimension • 
- dimensioni rosone | rose dimension • 
- lunghezza catena se presente | chain length if any • 
- peso prodotto | product weight • 
- classe di isolamento | insulation class • 
- 

Per una descrizione esaustiva di ciascun simbolo vai a p.622
For an exhaustive description of each symbol, see p.622

• PROGRESSIVE



Stimma p. 44



Light Of Love p. 52



Lob p. 62



Apollo 9 p. 70



Flowers in Wonderland p. 76



Murano Bulb p. 84



Lollipop p. 92



Forest p. 100



Cage p. 108



Charis p. 116




Ikebana p. 122




The Arcadian p. 134



Autumn Leaves p. 138



Desafinado p. 144



Tribeca p. 154



Galactic p. 160



Polaris p. 164



B&L p. 170



Goblin p. 174




Cellini p. 182



Contrappunto p. 186



Heritage p. 190



Scintilla p. 196



Chimera p. 202



Absolute p. 210



Planet p. 218



Absolute d'Acqua p. 224



Folie p. 232



Dancer p. 236



Vanity p. 248



Charleston p. 254



Skyline p. 270



Twilight p. 276



Cosmopolitan p. 280



Parnassus p. 286



Hydiscus p. 290



Destin Charmè p. 296

• TIMELESS



Vogue p. 304



Serenade p. 310



Tourbillon p. 320



Metropole p. 326



Palladium p. 332




Dandy p. 338



Iko p. 344



Bevante p. 350



Portofino p. 354



Tobia p. 360



Chapeau p. 364



Edgar p. 374



Gatsby p. 380



The Moon p. 388



Tresor p. 394



Simplicissimus 360 p. 400



Diamante p. 408



Coco p. 414




Capriccio 550 p. 420



Capriccio 560 p. 430



Fluage p. 434



Montecristo p. 442



Pasternak p. 450



Accadueo p. 456



Bovary p. 462




V-Classic 800 p. 470



V-Classic 900 p. 482



V-Magic p. 488



Fenix p. 492




Golden Century 86 p. 496



Golden Century 87 p. 502



Galliano p. 506



Giudecca p. 512



Toffee p. 518



Toffee V p. 524



Caesar p. 530



Caesar V p. 542



Regale p. 546



Sherazade p. 554



Kia Ora p. 558



Nabucco p. 564



Villa Borghese p. 574



Villa Medici p. 580



Villa Doria p. 584



Rosae Rosarum p. 590



Girasole p. 594



Iris p. 598

PROGRESSIVE
contemporary shapes

STIMMA

design Debonademeo



- SS8999-12




- SS8999-12-MC

- AP8999-2



- SS8999-8




- SS8999-1



STIMMA technical data

CE IP20 C_{UL} ENEC




AP8999-2
G9 2 x 40W max
W 65 cm - D 25 cm - H 50 cm
KG 3 Insulation class




SS8999-1
G9 1 x 40W max
Ø 22 cm - H 105/180 cm
KG 3 Insulation class




SS8999-1-MC
G9 1 x 40W max
Ø 22 cm - H 75/150 cm
KG 2 Insulation class



SS8999-8
G9 8 x 40W max
Ø 100 cm - H 75/100 cm
KG 20 Insulation class




SS8999-12
G9 12 x 40W max
Ø 150 cm - H 110/150 cm
KG 34 Insulation class




SS8999-12-MC
G9 12 x 40W max
Ø 100 cm - H 75/100 cm
KG 30 Insulation class

• Glass Colours



• Metal Finishing



LIGHT OF LOVE

design Nicola Grandesso



- SS3380-12





- M3380



- AP3380-1



- AP3380-2



LIGHT OF LOVE technical data

CE IP20 cULus ENEC



AP3380-1



G9 1 x 40W max
W 55 cm - **D** 18 cm - **H** 25 cm
KG 2 Insulation class

AP3380-2



G9 2 x 40W max
W 65 cm - **D** 18 cm - **H** 25 cm
KG 3 Insulation class

M3380



G9 1 x 40W max
W 60 cm - **D** 30 cm - **H** 210 cm
KG 20 Insulation class

SS3380-1



G9 1 x 40W max
W 40 cm - **D** 25 cm - **H** 50/150 cm
KG 2 Insulation class

SS3380L-5




G9 5 x 40W max
W 100 cm - **D** 30 cm - **H** 50/150 cm
KG 12 Insulation class


SS3380L-7



G9 7 x 40W max
W 160 cm - **D** 30 cm - **H** 50/150 cm
KG 15 Insulation class




SS3380-6
G9 6 x 40W max
Ø 60 cm - H 50/150 cm
KG 15
Insulation class




SS3380-8
G9 8 x 40W max
Ø 80 cm - H 50/150 cm
KG 18
Insulation class




SS3380-12
G9 12 x 40W max
Ø 100 cm - H 50/150 cm
KG 22
Insulation class



SS3380E-6
G9 6 x 40W max
W 140 cm - D 60 cm - H 50/150 cm
KG 15
Insulation class



SS3380E-10
G9 10 x 40W max
W 170 cm - D 90 cm - H 50/150 cm
KG 20
Insulation class



LAB3380-1
G9 1 x 40W max
W 10 cm - D 30 cm - H 37 cm
KG 2
Insulation class

• Glass Colours



• Metal Finishing



LOB

design Leo De Carlo




- L1060-16+4-1J





- L1065-9+3-W





LOB technical data



L1060-9+3

⚡ G4 12 x 40W max ⚙️ Ø 180 cm - H 130 cm
⚖️ KG 30 ⚡ Insulation class


L1060-16+4

⚡ G4 20 x 40W max ⚙️ Ø 250 cm - H 170 cm
⚖️ KG 50 ⚡ Insulation class

• Glass Colours



• Metal Finishing



APOLLO 9

design Romani Saccani Architetti Associati



- LAB1969







APOLLO 9 technical data



LAB1969

LED Battery Operated


Ø 18 cm - H 32 cm

KG 2

• Glass Colours



• Metal Finishing



FLOWERS IN WONDERLAND

design Alessandra Baldereschi



- LM1090-1




- LM1090-1




- LM1090-3







LL1090
G4 xx x xxW max
Ø 15 cm - H 50 cm
KG 1



LM1090-1
1-2 Flowers
Ø 12 cm - H 30 cm
KG 1 Insulation class





LM1090-3
3-4 Flowers
Ø 19 cm - H 30 cm
KG 2 Insulation class




LB1090
LED Battery Operated
Ø 10 cm - H 40 cm
KG 1

• Glass Colours



• Metal Finishing



MURANO BULB

design Marcantonio



- LL1000





MURANO BULB technical data



LL1000



E27 1 x 40W max Ø 15 cm - H 20 cm KG 1

AP1000



E27 1 x 40W max W 15 cm - D 15 cm - H 35 cm KG 1 Insulation class

LA1000




E27 1 x 40W max Ø 15 cm - H 40 cm KG 1 Insulation class

LU1000



E27 1 x 40W max Ø 15 cm - H 30 cm KG 1 Insulation class

LM1000



E27 1 x 40W max Ø 15 cm - H 45 cm KG 1 Insulation class

LMB1000



LED + Battery Ø 15 cm - H 30 cm KG 1 Insulation class

PL1000



E27 1 x xxW max

Ø 15 cm - H 30 cm

KG 1

Insulation class

PLC1000-3




E27 3 x 40W max

Ø 60 cm - H 40/100 cm

KG 2

Insulation class

SS1000-5



E27 5 x 40W max

Ø 40 cm - H 50/150 cm

KG 4

Insulation class

PLC1000-6



E27 6 x 40W max

Ø 80 cm - H 40/100 cm

KG 5

Insulation class

PLC1000-12



E27 12 x 40W max

Ø 120 cm - H 40/100 cm

KG 9

Insulation class

SS1000



E27 1 x 40W max

Ø 15 cm - H 50/150 cm

KG 1

Insulation class

SS1000-3



E27 3 x 40W max

Ø 30 cm - H 50/150 cm

KG 2

Insulation class

• Glass Colours


 Murano Bulb 01	 Murano Bulb 02	 Murano Bulb 03	 Murano Bulb 04
 Murano Bulb 05	 Murano Bulb 06	 Murano Bulb 07	 Murano Bulb 08
 Murano Bulb 09	 Murano Bulb 10	 Murano Bulb 11	 Murano Bulb 12

• Metal Finishing


 Polished Gold	 Brushed Gold
--	---

LOLLIPOP


design Leo De Carlo



- P8000-5







- P8000-5



LOLLIPOP technical data

CE IP20 C UL US EAC



AP8000-20

LED

Ø 20 cm - H 8 cm

KG 3

Insulation class

AP8000-25

LED

Ø 25 cm - H 8 cm

KG 3

Insulation class

AP8000-35

LED

Ø 35 cm - H 8 cm

KG 3

Insulation class

AP8000-48

LED

Ø 48 cm - H 8 cm

KG 3

Insulation class

LM8000-20

LED

W 20 cm - D 10 cm - H 30 cm

KG 2

Insulation class

LM8000-25

LED

W 25 cm - D 10 cm - H 35 cm

KG 2

Insulation class

P8000-5

LED

W 55 cm - D 40 cm - H 200 cm

KG 20

Insulation class

P8000-10

LED

W 55 cm - D 40 cm - H 200 cm

KG 35

Insulation class

• Glass Colours

LP1

Blueberry

LP2

Strawberry

LP3

Licorice

LP4

Sweetmint

LP5

Rhubarb

LP6

Coconut

• Metal Finishing

J

Lacquered Black

FOREST

design Romani Saccani Architetti Associati



- LAB3220-G4



- LAB3220-F



- LAB3220-R



- LUB3220



- LM3220

- LAB3220



FOREST technical data

CE IP20



LUB3220



 LED Battery Operated

 Ø 12 cm - H 23 cm

 KG 1

LAB3220



 LED Battery Operated

 Ø 18 cm - H 33 cm

 KG 2

LM3220






 E27 1 x 40W max

 Ø 32 cm - H 60 cm



 KG 6

 Insulation class

• Glass Colours

C  Clear	D  Smoke	F  Straw	Q4  Aquamarine	R  Rosa
---	---	---	---	--

• Metal Finishing

K1  Brushed Gold	N1  Brushed Nikel	U1  Brushed Copper	B1  Burnished Brass
---	--	---	--

CAGE

design Leo De Carlo



- SS2023B





- SS2023A



- AP2023



CAGE technical data

CE IP20 cULus ENEC



AP2023
LED 2 x 30W max
Ø 50 cm - H 75/150 cm
KG 12
Insulation class



SS2023A
LED 2 x 30W max
Ø 50 cm - H 95/150 cm
KG 12
Insulation class



SS2023B
LED 2 x 30W max
Ø 50 cm - H 65/150 cm
KG 15
Insulation class




LM2023
LED 2 x 30W max
Ø 50 cm - H 65 cm
KG 15
Insulation class




P2023
LED 2 x 30W max
W 50 cm - D 60 cm - H 185 cm
KG 20
Insulation class

• Glass Colours



• Metal Finishing




CHARIS

design Marta Naddeo




- PL3230-100x300






CHARIS technical data


CE IP20 cULus ENEC




LM3230 A/B/C
LED 1 x 20W max
Ø 15 cm - H 65 cm
KG 3 Insulation class




SS3230 A/B/C
LED 1 x 20W max
Ø 15 cm - H 65 cm
KG 3 Insulation class




SS3230-40x150
LED 3 x 20W max
Ø 40 cm - H 130/150 cm
KG 10 Insulation class



SS3230-50x180
LED 6 x 20W max
Ø 50 cm - H 150/170 cm
KG 20 Insulation class



SS3230-60x210
LED 9 x 20W max
Ø 60 cm - H 180/200 cm
KG 25 Insulation class



SS3230-100x300
LED 23 x 20W max
Ø 100 cm - H 300/320 cm
KG 55 Insulation class

• Glass Colours

CH1	CH2	CH3	CH4	CH5
Sandalo	Sabbia	Neve	Rugiada	Bruma

• Metal Finishing

N	K
Polished Nikel	Polished Gold

IKEBANA

design ROMANI SACCANI ARCHITETTI ASSOCIATI



- SL3370-16-FB

- SS3370-15-FK1



- SS3370-1




- LM3370-1













- SL3370-5-R3U1




- SS3370-9-FK1





• Glass Colours



• Metal Finishing



THE ARCADIAN

design MULTIFORME



- SS7630-150x60-CK





THE ARCADIAN technical data

CE IP20



AP7630




 E14 2 x 40W max

 W 30 cm - D 15 cm - H 60 cm

 KG 8

 Insulation class

SS7630-60




 E14 6 x 40W max

 Ø 60 cm - H 70/200 cm

 KG 25

 Insulation class

SS7630-90




 E14 9 x 40W max

 Ø 90 cm - H 70/200 cm

 KG 50

 Insulation class

SS7630-150x60




 E14 16 x 40W max

 W 60 cm - D 150 cm - H 70/200 cm

 KG 130

 Insulation class

- Glass Colours




- Metal Finishing



AUTUMN LEAVES

design MULTIFORME



- SS7680-AK







AUTUMN LEAVES technical data

CE IP20 cULus ENEC



SS7680-33



LED 3 x 10W max

Ø 33 cm - H 60 cm

KG 25

Insulation class

SS7680-55



LED 7 x 10W max

Ø 55 cm - H 75 cm

KG 35

Insulation class

SS7680-145




LED 12 x 10W max

W 145 cm - D 85 cm - H 130/160 cm


KG 50

Insulation class


• Glass Colours



Acacia




Gold




Ambra



Tangerine




Moka



Smoke

• Metal Finishing



Polished Chrome



Polished Gold

DESAFINADO

design MULTIFORME



- PL7540-100x260



- SS7540-K




- SS7540-C1





- PL7540R-80x200





SS7540

⚡ G4 1 x 40W max

📏 Ø 16 cm - H 35/100 cm

📊 KG 1

🛡️ Insulation class

PL7540Q-45

⚡ G9 7 x 40W max

📏 W 45 cm - D 45 cm - H 55 cm

📊 KG 12

🛡️ Insulation class

PL7540E-50x70

⚡ G9 4 x 40W max + LED 4

📏 W 50 cm - D 70 cm - H 90 cm

📊 KG 20

🛡️ Insulation class

PL7540-100x260

⚡ G9 16 x 40W max + LED 6

📏 W 100 cm - D 100 cm - H 260 cm

📊 KG 75

🛡️ Insulation class

PL7540Q-55

⚡ G9 9 x 40W max

📏 W 55 cm - D 55 cm - H 60 cm

📊 KG 14

🛡️ Insulation class

PL7540Q-100

⚡ G9 23 x 40W max

📏 W 100 cm - D 100 cm - H 100 cm

📊 KG 25

🛡️ Insulation class

PL7540R-65x160

⚡ G9 28 x 40W max

📏 W 65 cm - D 65 cm - H 55 cm

📊 KG 30

🛡️ Insulation class

PL7540R-80x200


⚡ G9 38 x 40W max

📏 W 80 cm - D 80 cm - H 100 cm

📊 KG 45

🛡️ Insulation class

• Glass Colours




• Metal Finishing



TRIBECA


design MULTIFORME



- BLP0385-18-R

- BLP0385-7-K





- BLP0385-9-G

TRIBECA technical data

CE IP20 cULus EAC




AP0385-2




⚡ E14 2 x 40W max
 ↗ W 40 cm - D 25 cm - H 40 cm
 ⚖️ KG 3 ⚡ Insulation class

BLP0385-7




⚡ E14 7 x 40W max
 ↗ Ø 100 cm - H 85/150 cm
 ⚖️ KG 14 ⚡ Insulation class

BLP0385-9




⚡ E14 9 x 40W max
 ↗ Ø 100 cm - H 85/150 cm
 ⚖️ KG 20 ⚡ Insulation class

BLP0385-18




⚡ E14 18 x 40W max
 ↗ Ø 100 cm - H 90/155 cm
 ⚖️ KG 35 ⚡ Insulation class

• Glass Colours



Primavera



Rosa




Gold

• Metal Finishing



Brushed Gold



Lacquered Green



Lacquered Pink

GALACTIC

design MULTIFORME



- SS3620-75-K





GALACTIC technical data



AP3620

E14 2 x 40W max

W 25 cm - **D** 15 cm - **H** 30 cm

KG 3

Insulation class

SS3620-60

E14 6 x 40W max

Ø 60 cm - **H** 60/110 cm

KG 12

Insulation class

SS3620-75

E14 9 x 40W max

Ø 75 cm - **H** 60/110 cm

KG 24

Insulation class

SS3620-95


E14 12 x 40W max

Ø 95 cm - **H** 60/110 cm

KG 36

Insulation class

• Glass Colours



Gold

• Metal Finishing



Brushed Gold

POLARIS


design MULTIFORME



- PL7520R-40x95x50-N1



- PL7520-192x60-Q






POLARIS technical data

CE IP20 cULus ENEC



PL7520-60




G9 8 x 40W max

W 60 cm - D 60 cm - H 50 cm

KG 28

Insulation class

PL7520R-40x95x50



G9 10 x 40W max

W 40 cm - D 95 cm - H 50 cm


KG 32

Insulation class

• Glass Colours



Clear



Celeste

• Metal Finishing



Brushed Nickel



Brushed Gold

B&L

design MOCA DESIGN




- BD1025-8+4-KW






B&L technical data


CE IP20 cULus ENEC




G9 1 x 40W max
Ø 30 cm - H 160 cm
KG 12
Insulation class



G9 6 x 40W max
Ø 90 cm - H 70/135 cm
KG 10
Insulation class



G9 8 x 40W max
Ø 100 cm - H 70 cm
KG 15
Insulation class



G9 12 x 40W max
Ø 110 cm - H 70/135 cm
KG 20
Insulation class

• Glass Colours

K

Gold

W

White

• Metal Finishing

K1

Brushed Gold

GOBLIN

design MULTIFORME



- L1075-10-WCK



- CUSTOM GOBLIN



- SS1075



- LMP1075-FV



GOBLIN technical data

CE IP20 cULus ENEC

LMP1075 E27 1 x 40W max Ø 40 cm - H 75 cm KG 4 Insulation class	P1075 E27 1 x 40W max Ø 40 cm - H 195 cm KG 20 Insulation class
L1075-10 G9 10 x 40W max Ø 100 cm - H 135/170 cm KG 14 Insulation class	SS1075 E27 1 x 40W max Ø 25 cm - H 65 cm KG 4 Insulation class

• Glass Colours

WCK

White / Clear / Gold

D

Smoke

F1

Nut

F

Straw

• Metal Finishing

N

Polished Nikel

K

Polished Gold

CELLINI

design MULTIFORME



• BL1020-14-KK1



CELLINI technical data

CE IP20 cULus ENEC



BAP1020-2




⚡ E14 2 x 40W max 📏 W 45 cm - D 30 cm - H 45 cm
📦 KG 3 ⚡ Insulation class

BL1020-14



⚡ E14 14 + G4 7 x 40W max 📏 W 170 cm - D 100 cm - H 120 cm
📦 KG 40 ⚡ Insulation class

• Glass Colours



• Metal Finishing



CONTRAPPUNTO

design MULTIFORME



- BLP1005-10-DCJ




CONTRAPPUNTO technical data

CE IP20 cULus ENEC



AP1005-1




💡 E14 1 x 40W max

📏 W 40 cm - D 30 cm - H 45 cm

📦 KG 2

🔌 Insulation class

BLP1005-10



💡 E14 10 x 40W max

📏 W 80 cm - D 160 cm - H 60/140 cm


📦 KG 20

🔌 Insulation class


• Lampshade Colours



• Glass Colours



• Metal Finishing



HERITAGE

design MULTIFORME



- B1030E-24-CB



- B1030E-20-CB






• AP1030-1-CB




HERITAGE technical data



AP1030-1  ⚡ G9 1 + G4 1 x 40W max ↗ W 20 cm - D 25 cm - H 60 cm ⚖ KG 5 ⚡ Insulation class	B1030-12  ⚡ G9 6 + G4 6 x 40W max ↗ Ø 80 cm - H 80/160 cm ⚖ KG 25 ⚡ Insulation class
B1030E-20  ⚡ G9 10 + G4 10 x 40W max ↗ W 110 cm - D 75 cm - H 80/160 cm ⚖ KG 35 ⚡ Insulation class	B1030E-24  ⚡ G9 12 + G4 12 x 40W max ↗ W 185 cm - D 80 cm - H 80/160 cm ⚖ KG 50 ⚡ Insulation class

• Glass Colours



• Metal Finishing



SCINTILLA

design MULTIFORME




- PL7610-37-CK





- PL7610-24-CS



• PL7610-9-CK




SCINTILLA technical data

CE IP20 cULus ENEC





SS7610 G4 1 x 40W max KG 1 Insulation class Ø 10 cm - H 30/80 cm	PL7610-9 G4 9 x 40W max KG 10 Insulation class Ø 40 cm - H 180/200 cm
PL7610-24 G4 24 x 40W max KG 15 Insulation class Ø 60 cm - H 150/170 cm	PL7610-37 G4 37 x 40W max KG 30 Insulation class Ø 90 cm - H 180 cm

• Glass Colours



• Metal Finishing



CHIMERA

design MULTIFORME



- SS7701-DK





- SS7700-1DC





- SS7700-120X260-AK



CHIMERA technical data

CE

IP20


UL

US


EAC

AP7700 💡 E14 1 x 40W max ↕ W 45 cm - D 30 cm - H 60 cm ⚖️ KG 15 ⚡ Insulation class	SS7701 💡 E14 14 x 40W max ↕ Ø 80 cm - H 130/180 cm ⚖️ KG 60 ⚡ Insulation class
SS7700-80x160 💡 E14 23 x 40W max ↕ Ø 80 cm - H 200/280 cm ⚖️ KG 90 ⚡ Insulation class	SS7700-120x260 💡 E14 60 x 40W max ↕ Ø 120 cm - H 300/500 cm ⚖️ KG 220 ⚡ Insulation class

• Glass Colours



• Metal Finishing




ABSOLUTE

design MULTIFORME




- SSP3600-100-A1KL

- SSP3600-65-A2KL





- PL3600-65-AKD



ABSOLUTE technical data

CE IP20 C_{UL} US ENEC



SSP3600-65
G9 7 x 40W max
Ø 65 cm - H 65/150 cm
KG 20
Insulation class



SSP3600-80
G9 8 x 40W max
Ø 80 cm - H 80/150 cm
KG 25
Insulation class




SSP3600-100
G9 10 x 40W max
Ø 100 cm - H 80/150 cm
KG 35
Insulation class



SSP3600-130
G9 19 x 40W max
Ø 130 cm - H 80/150 cm
KG 2
Insulation class


Lampshade Colours



Glass Colours



Metal Finishing



PLANET

design MULTIFORME



- APP3610-1-AKV



- SSP3610-1-DW

- LMP3610-1-DW



- SSP3610-1-DW





PLANET technical data



APP3610
E14 1 x 40W max W 15 cm - D 15 cm - H 50 cm
KG 2 Insulation class




SSP3610
E27 1 x 40W max Ø 30 cm - H 80/180 cm
KG 4 Insulation class




LMP3610
E27 1 x 40W max Ø 30 cm - H 70 cm
KG 6 Insulation class


• Glass Colours



• Lampshade Colours



• Metal Finishing



ABSOLUTE D'ACQUA

design MULTIFORME



- SSP3601E-CND

- SSP3601-65-KV



- SSP3601-65-CW



ABSOLUTE D'ACQUA technical data

CE IP20 cULus ENEC



SSP3601
G9 1 x 40W max
Ø 18 cm - H 50/100 cm
KG 2 Insulation class



SSP3601-65
G9 7 x 40W max
Ø 65 cm - H 90/140 cm
KG 30 Insulation class



SSP3601E
G9 18 x 40W max
W 142 cm - D 55 cm - H 90/140 cm
KG 45 Insulation class

Lampshade Colours

D	W	V
Cotton Grey	Cotton White	Cotton Ivory

Glass Colours


C	K
Clear	Gold

Metal Finishing

N	K
Polished Nikel	Polished Gold

FOLIE

design MULTIFORME




- BRP3350-11-WWD



FOLIE technical data



APRP3350-2




💡 E14 2 x 40W max

📏 W 50 cm - D 30 cm - H 50 cm

📊 KG 4

🔌 Insulation class

BRP3350-11




💡 E14 11 x 40W max

📏 W 90 cm - D 140 cm - H 90/140 cm

📊 KG 18

🔌 Insulation class

• Lampshade Colours




Cotton Grey

• Glass Colours



White

• Metal Finishing



Lacquered White

DANCER

design MULTIFORME



- SS7651-DK



- SS7651T-80-1CB





- SS7651S-75x215-DN



- AP7651-DK



- SS7651-S-DK






- SS7651-A2K

DANCER technical data

CE IP20 cULus ENEC




AP7651
G9 5 x 40W max
W 35 cm - D 18 cm - H 90 cm
KG 12 Insulation class




PL7651
G9 18 x 40W max
W 170 cm - D 40 cm - H 60 cm
KG 30 Insulation class



SS7651-1
G9 1 x 40W max
Ø 15 cm - H 60/140 cm
KG 2 Insulation class



SS7651T-80
G9 9 x 40W max
Ø 80 cm - H 60/140 cm
KG 32 Insulation class




SS7651
G9 18 x 40W max
W 170 cm - D 40 cm - H 70/140 cm
KG 32 Insulation class




SS7651S-75x215
G9 25 x 40W max
Ø 75 cm - H 215/350 cm
KG 64 Insulation class

• Glass Colours



• Metal Finishing



VANITY

design MULTIFORME



- SS7660-80X100-CN



- SS7660-60x80-CN



- PL7660-90X85-CDK



- LM3220



VANITY technical data


CE IP20 cULus ENEC



SS7660-60x80
G9 10 x 40W max
Ø 60 cm - H 100/180 cm
KG 20
Insulation class



SS7660-80x100
G9 12 x 40W max
Ø 80 cm - H 140/210 cm
KG 35
Insulation class



PL7660-90x85
G9 12 x 40W max
Ø 90 cm - H 85 cm
KG 30
Insulation class




SS7660-100x120
G9 16 x 40W max
Ø 100 cm - H 150/220 cm
KG 50
Insulation class



SS7660-120x140
G9 22 x 40W max
Ø 120 cm - H 170/230 cm
KG 70
Insulation class

• Glass Colours




• Metal Finishing



CHARLESTON


design MULTIFORME



- PL7500Q-50X40



- PL7502Q-50x125-KK1



- PL7500R-68X200X30-C



- PL7500R-40X100X35-KK1





- PL7502-80x150-KK1

- PL7503-70x140-A



- PL7500-50x40-KK1



- PL7502-40X125-U1



CHARLESTON technical data

CE IP20 C_{UL} US EAC




AP7500-20x30



 **E14** 2 x 40W max  **W** 22 cm - **D** 18 cm - **H** 30 cm
 **KG** 4  Insulation class

AP7500-25x35




 **E14** 3 x 40W max  **W** 28 cm - **D** 18 cm - **H** 35 cm
 **KG** 6  Insulation class

PL7500R-30x75x35




 **E14** 6 x 40W max  **W** 75 cm - **D** 30 cm - **H** 35 cm
 **KG** 25  Insulation class

PL7500R-40x100x35




 **E14** 9 x 40W max  **W** 40 cm - **D** 100 cm - **H** 35 cm
 **KG** 40  Insulation class

PL7500Q-50x40



 **E14** 7 x 40W max  **W** 50 cm - **D** 50 cm - **H** 40 cm
 **KG** 20  Insulation class

PL7500Q-60x40



 **E14** 9 x 40W max  **W** 60 cm - **D** 60 cm - **H** 40 cm
 **KG** 30  Insulation class

PL7500R-50x140x35



 **E14** 10 x 40W max  **W** 50 cm - **D** 140 cm - **H** 35 cm
 **KG** 40  Insulation class

PL7500R-68x200x35




 **E14** 22 x 40W max  **W** 68 cm - **D** 200 cm - **H** 35 cm
 **KG** 87  Insulation class

PL7500Q-70x40




 **E14** 9 x 40W max  **W** 70 cm - **D** 70 cm - **H** 40 cm
 **KG** 40  Insulation class

PL7500Q-100x40



 **E14** 20 x 40W max  **W** 100 cm - **D** 100 cm - **H** 40 cm
 **KG** 85  Insulation class

PL7503-70x140




 **E14** 20 x 40W max  **Ø** 70 cm - **H** 140 cm
 **KG** 35  Insulation class


PL7501-30x30




 **E14** 3 x 40W max  **Ø** 30 cm - **H** 30 cm
 **KG** 12  Insulation class




E14 5 x 40W max Ø 40 cm - H 50 cm
 KG 15 Insulation class




E14 9 x 40W max Ø 60 cm - H 55 cm
 KG 22 Insulation class



E14 6 x 40W max Ø 40 cm - H 80 cm
 KG 20 Insulation class




E14 11 x 40W max Ø 40 cm - H 125 cm
 KG 32 Insulation class




E14 12 x 40W max Ø 50 cm - H 125 cm
 KG 45 Insulation class

• Glass Colours



• Metal Finishing



SKYLINE

design MULTIFORME



- PL3555-150x40x40-1AB2

- PL3555T-55x40-1CB






SKYLINE technical data




PL3555T-55x40




⚡ E14 8 x 40W max ↗ Ø 55 cm - H 40 cm
⚖ KG 12 ⚡ Insulation class

PL3555-150x40x40




⚡ E14 25 x 40W max ↗ W 150 cm - D 40 cm - H 40 cm
⚖ KG 35 ⚡ Insulation class

• Glass Colours



• Metal Finishing



TILIGHT

design MULTIFORME



- SS7805-1A1N1



TILIGHT technical data

CE IP20  EAC



AP7805-25x25



 E14 1 x 40W max

 W 25 cm - D 13 cm - H 25 cm

 KG 3

 Insulation class

AP7805-25x50



 E14 2 x 40W max

 W 25 cm - D 13 cm - H 50 cm

 KG 5

 Insulation class

SS7805



 E14 8 x 40W max

 W 145 cm - D 50 cm - H 20/50 cm

 KG 28

 Insulation class

• Glass Colours


1A1



Honey / White

• Metal Finishing

N1



Brushed Nikel

COSMOPOLITAN

design MULTIFORME



- PL7505-130-C

- PL7505-85-C



- PL7506-C




COSMOPOLITAN technical data

CE IP20 cULus ENEC



PL7505-60




⚡ E14 6 x 40W max

↗ Ø 60 cm - H 35 cm

⚖ KG 35

⚡ Insulation class

PL7505-70



⚡ E14 8 x 40W max

↗ Ø 70 cm - H 35 cm

⚖ KG 50

⚡ Insulation class

PL7505-85




⚡ E14 10 x 40W max

↗ Ø 85 cm - H 35 cm

⚖ KG 70

⚡ Insulation class

PL7505-130




⚡ E14 12 x 40W max

↗ Ø 130 cm - H 35 cm



⚖ KG 95

⚡ Insulation class

- Glass Colours



- Metal Finishing



PARNASSUS

design MULTIFORME



- M7820-1WJW6

- AP7820-1WJW6




PARNASSUS technical data

CE IP20 cULus ENEC



AP7820




💡 G9 4 x 40W max

📏 W 30 cm - D 8 cm - H 36 cm

📊 KG 8

🔌 Insulation class

M7820




💡 -

📏 W 125 cm - D 8 cm - H 90 cm

📊 KG 35

🔌 Insulation class

- Glass Colours



1WJ

Shades of gray

- Metal Finishing



W3

Lacquered White

HYDISCUS

design MULTIFORME



- PL7670-45x150





HYDISCUS technical data



PL7670T-60




G9 10 x 40W max
 Ø 60 cm - H 60/80 cm
 KG 15
 Insulation class

PL7670T-90




G9 18 x 40W max
 Ø 90 cm - H 190/210 cm
 KG 45
 Insulation class

PL7670-45x150




G9 10 x 40W max
 W 45 cm - D 150 cm - H 60/80 cm
 KG 25
 Insulation class

PL7670-160x60




G9 14 x 40W max
 W 60 cm - D 160 cm - H 60/80 cm
 KG 35
 Insulation class

• Glass Colours



• Metal Finishing



DESTIN CHARMÈ

design MULTIFORME



- SS3390-140x260-A





- SS3390-120x75-W



DESTIN CHARMÈ technical data

CE IP20 cULus ENEC



SS3390-25x80
G4 3 x 40W max
Ø 25 cm - H 80/100 cm
KG 12 Insulation class




SS3390-50x50
G4 15 x 40W max
Ø 50 cm - H 60/80 cm
KG 12 Insulation class




SS3390-70x70
G4 26 x 40W max
Ø 70 cm - H 80/100 cm
KG 12 Insulation class



SS3390-90x90
G4 41 x 40W max
Ø 90 cm - H 100/120 cm
KG 12 Insulation class




SS3390-120x75
G471 x 40W max
Ø 120 cm - H 75/100 cm
KG 18 Insulation class



SS3390-140x260
G4 140 x 40W max
Ø 140 cm - H 230/270 cm
KG 23 Insulation class

• Glass Colours



• Metal Finishing



TIMELESS
neverending beauty

VOGUE

design MULTIFORME



- DP1011-9+6-DW



- DP1011-12+9+6-GW





VOGUE technical data

CE IP20 cULus ENEC




AP1011-2



E14 2 x 40W max W 40 cm - D 25 cm - H 35 cm
L 50 cm KG 3 Insulation class

AP1011-3+2




E14 5 x 40W max W 50 cm - D 30 cm - H 45 cm
KG 5 Insulation class

DP1011-9+6



E14 15 x 40W max Ø 85 cm - H 80 cm
Ø 12 cm L 30 cm KG 15 Insulation class

DP1011-12+9+6




E14 27 x 40W max Ø 120 cm - H 110 cm
Ø 12 cm L 55 cm KG 25 Insulation class

• Glass Colours




Primavera



Smoke

• Metal Finishing




Polished Nikel



Brushed Nikel

• Lampshade Colours



Cotton White



Polished Gold



Brushed Gold

SERENADE

design MULTIFORME



- LP0370-8-F1V





- LP0370-6-M2V



- DP0370-10+5-F1V



- APP0370-2-F1V




SERENADE technical data

CE IP20 C_{UL} US ENEC




APP0370-1
E14 1 x 40W max
W 15 cm - D 30 cm - H 40 cm
KG 2
Insulation class



APP0370-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 40 cm
L 45 cm
KG 3
Insulation class




LP0370-6
E14 6 x 40W max
Ø 85 cm - H 65 cm
Ø 12 cm
L 30 cm
KG 9
Insulation class



LP0370-8
E14 8 x 40W max
Ø 100 cm - H 70 cm
Ø 12 cm
L 30 cm
KG 12
Insulation class




DP0370-10+5
E14 15 x 40W max
Ø 125 cm - H 95 cm
Ø 25 cm
L 55 cm
KG 25
Insulation class



DP0370-15+10+5
E14 30 x 40W max
Ø 145 cm - H 125 cm
Ø 12 cm
L 50 cm
KG 45
Insulation class

• Lampshade Colours



• Glass Colours



• Metal Finishing



TOURBILLON

design MULTIFORME



- LP0505-6-B3W







TOURBILLON technical data

CE IP20 cULus ENEC



AP0505-2

• E14 2 x 40W max W 70 cm - D 30 cm - H 50 cm

• - - KG 3 Insulation class

LP0505-6

• E14 6 x 40W max Ø 100 cm - H 60 cm

• Ø 10 cm L 100 cm KG 12 Insulation class

• Glass Colours

A2	B3
Tangerine	Denim

• Lampshade Colours

W	V
Cotton White	Cotton Ivory

• Metal Finishing

N	N1	K	K1
Polished Nickel	Brushed Nickel	Polished Gold	Brushed Gold

METROPOLE

design MULTIFORME




- LE0380-16+8+4-K





- LE0380-15+10+5-D3





- LE0380-6+3+3-D2

METROPOLE technical data



APE0380-3+2
E14 5 x 40W max
W 50 cm - D 35 cm - H 50 cm
KG 6
Insulation class



LE0380-6+3+3
E14 12 x 40W max
Ø 100 cm - H 70 cm
Ø 14 cm L 30 cm KG 30
Insulation class




LE0380-16+8+4
E14 28 x 40W max
Ø 150 cm - H 160 cm
Ø 14 cm L 100 cm KG 60
Insulation class



LE0380-15+10+5
E14 30 x 40W max
Ø 150 cm - H 165 cm
Ø 14 cm L 100 cm KG 65
Insulation class

• Glass Colours



• Metal Finishing



PALLADIUM

design MULTIFORME



- LP1001-12-DJ



- DP1001-12+6+6-DJ

- DP1001-12+12+6+6-Q1














- AP1001-2-D

PALLADIUM technical data



AP1001-2  ⚡ E14 2 x 40W max ⚙ - ⚙ - ⚖ KG 4 ⚡ Insulation class W 50 cm - D 25 cm - H 50 cm	LP1001-12  ⚡ E14 12 x 40W max ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 20 ⚡ Insulation class Ø 130 cm - H 110 cm
DP1001-12+6+6  ⚡ E14 24 x 40W max ⚙ Ø 14 cm ⚙ L 100 cm ⚖ KG 40 ⚡ Insulation class Ø 130 cm - H 130 cm	DP1001-12+12+6+6  ⚡ E14 36 x 40W max ⚙ Ø 14 cm ⚙ L 100 cm ⚖ KG 60 ⚡ Insulation class Ø 160 cm - H 160 cm

• Glass Colours	C  Clear	D  Smoke	• Lampshade Colours	W  Cotton White	J  Cotton Black
• Metal Finishing	N  Polished Nikel	N1  Brushed Nikel	K  Polished Gold	K1  Brushed Gold	

DANDY

design MULTIFORME



- DP0354-20+10+5-VAV



- LEP0354-5+5-W




- DEP0354-8x4




DANDY technical data

CE IP20 cULus ENEC




APP0354-2
E14 2 x 40W max
W 30 cm - D 30 cm - H 75 cm
KG 4
Insulation class



APP0354-4
E14 4 x 40W max
W 50 cm - D 25 cm - H 75 cm
KG 6
Insulation class



LP0354-5
E14 5 x 40W max
Ø 60 cm - H 75 cm
Ø 12 cm
L 50 cm
KG 7
Insulation class



LEP0354-5+5
E14 10 x 40W max
Ø 55 cm - H 80 cm
Ø 12 cm
L 50 cm
KG 9
Insulation class




DEP0354-8x4
E14 32 x 40W max
Ø 55 cm - H 190 cm
Ø 14 cm
L 100 cm
KG 35
Insulation class




DEP0354-20+10+5
E14 35 x 40W max
Ø 160 cm - H 175 cm
Ø 14 cm
L 100 cm
KG 65
Insulation class

Lampshade Colours



Glass Colours



Metal Finishing



IKO

design MULTIFORME



- S1010-8-JJ






- ST1010-6+6-JJ



IKO technical data



APP1010-2



• E14 2 x 40W max
• W 50 cm - D 25 cm - H 50 cm
• KG 4
• Insulation class

SP1010-8




• E14 8 x 40W max
• Ø 85 cm - H 95 cm
• L 50 cm
• KG 12
• Insulation class

SP1010-6+6




• E14 12 x 40W max
• Ø 85 cm - H 110 cm
• L 50 cm
• KG 20
• Insulation class

SP1010-12+12




• E14 24 x 40W max
• Ø 120 cm - H 110 cm
• L 50 cm
• KG 40
• Insulation class

• Glass Colours




Black

• Lampshade Colours



Cotton Black


• Metal Finishing



Polished Nickel



Brushed Nickel



Polished Gold



Brushed Gold

BEVANTE

design MULTIFORME




- L0353-6-VF




-
- A large, ornate, multi-tiered chandelier with numerous glass shades and decorative elements, hanging from the ceiling. The chandelier features a central vertical stem with multiple tiers of arms, each holding a glass shade. The design is symmetrical and highly decorative, with a large, ornate glass shade at the bottom. The chandelier is made of clear glass and has a classic, elegant appearance.

CE IP20 cULus ENEC



PORTOFINO

design MULTIFORME



- L0356-8-G2






PORTOFINO technical data



AP0356-1
E14 1 x 40W max
W 15 cm - D 30 cm - H 35 cm
KG 2
Insulation class



AP0356-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 35 cm
KG 3
Insulation class




L0356-6
E14 6 x 40W max
Ø 90 cm - H 80 cm
Ø 12 cm L 50 cm
KG 10
Insulation class



L0356-8
E14 8 x 40W max
Ø 90 cm - H 85 cm
Ø 12 cm L 50 cm
KG 12
Insulation class

• Glass Colours



• Metal Finishing



TOBIA

design MULTIFORME



- L0347-6-D2



- L0347-8-M2




- AP0347-2-D2




TOBIA technical data

CE IP20 C UL US EAC




AP0347-1
E14 1 x 40W max
W 15 cm - D 30 cm - H 25 cm
KG 2
Insulation class




AP0347-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 25 cm
KG 3
Insulation class



L0347-5-MG
E14 5 x 40W max
Ø 70 cm - H 60 cm
KG 8
Insulation class



L0347-6
E14 6 x 40W max
Ø 85 cm - H 65 cm
KG 10
Insulation class




L0347-8
E14 8 x 40W max
Ø 100 cm - H 75 cm
KG 12
Insulation class



L0347-12
E14 12 x 40W max
Ø 120 cm - H 85 cm
KG 20
Insulation class

• Glass Colours



• Metal Finishing



CHAPEAU

design MULTIFORME



- LEP0360-10+5-KA



- DP0360-16+8-D2



- SSP0360-A1



- LEP0360-6+3-WW-MG



not for outdoor use



- APP0360-1

CHAPEAU technical data

CE IP20 cULus EAC



APP0360-1  ⚡ E14 1 x 40W max ⚙ - ⚙ - ⚖ KG 2 ⚡ Insulation class W 15 cm - D 30 cm - H 40 cm	APP0360-2  ⚡ E14 2 x 40W max ⚙ - ⚙ - ⚖ KG 3 ⚡ Insulation class W 40 cm - D 25 cm - H 40 cm
SSP0360  ⚡ G9 1 x 40W max ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 2 ⚡ Insulation class Ø 25 cm - H 50 cm	LEP0360-6+3-MG  ⚡ E14 9 x 40W max ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 12 ⚡ Insulation class Ø 60 cm - H 70 cm
LP0360-6  ⚡ E14 6 x 40W max ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 10 ⚡ Insulation class Ø 80 cm - H 80 cm	LP0360-8  ⚡ E14 8 x 40W max ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 12 ⚡ Insulation class Ø 95 cm - H 90 cm



LEP0360-10+5
E14 15 x 40W max
Ø 12 cm L 50 cm KG 20 Insulation class



DP0360-16+8
E14 24 x 40W max
Ø 12 cm L 50 cm KG 35 Insulation class



DP0360-18+9
E14 27 x 40 W max
Ø 12 cm L 50 cm KG 45 Insulation class



DP0360-12+6+6
E14 24 x 40W max
Ø 14 cm L 100 cm KG 40 Insulation class

• Lampshade Colours

W	V	A
Cotton White	Cotton Ivory	Cotton Acacia

• Glass Colours

C	A1	W	K
Clear	Ambra	White	Gold

• Metal Finishing

N	N1	K	K1
Polished Nikel	Brushed Nikel	Polished Gold	Brushed Gold

EDGAR

design MULTIFORME



- LE0376-10+5-W



- L0375-12-D



- L0375-5-VA





AP0375-1

Light bulb: E14 1 x 40W max
Dimensions: W 15 cm - D 30 cm - H 25 cm
Weight: KG 2
Insulation class

AP0375-2

Light bulb: E14 2 x 40W max
Dimensions: W 40 cm - D 25 cm - H 25 cm
Weight: KG 3
Insulation class

AP0375-3

Light bulb: E14 3 x 40W max
Dimensions: W 40 cm - D 30 cm - H 25 cm
Weight: KG 4
Insulation class

L0375-5

Light bulb: E14 5 x 40W max
Dimensions: Ø 70 cm - H 80 cm
Weight: KG 8
Insulation class

L0375-6

Light bulb: E14 6 x 40W max
Dimensions: Ø 70 cm - H 80 cm
Weight: KG 10
Insulation class

L0375-8

Light bulb: E14 8 x 40W max
Dimensions: Ø 85 cm - H 95 cm
Weight: KG 12
Insulation class

D0375-6+3

Light bulb: E14 9 x 40W max
Dimensions: Ø 80 cm - H 95 cm
Weight: KG 15
Insulation class

L0375-12

Light bulb: E14 12 x 40W max
Dimensions: Ø 115 cm - H 105 cm
Weight: KG 20
Insulation class

LE0376-10+5

Light bulb: E14 15 x 40W max
Dimensions: Ø 90 cm - H 100 cm
Weight: KG 25
Insulation class

• Glass Colours



• Metal Finishing



GATSBY

design MULTIFORME



- SP0484-12+6-WCW

- S0484-12+6-C





- AP0484-3+2-WCW



- L0484-5-D2



GATSBY technical data

CE IP20 C_{UL} US ENEC



AP0484-2

E14 2 x 40W max

W 45 cm - **D** 25 cm - **H** 35 cm

KG 3

Insulation class

APE0484-3+2

E14 5 x 40W max

W 45 cm - **D** 30 cm - **H** 45 cm

KG 6

Insulation class

L0484-5

E14 5 x 40W max

Ø 75 cm - **H** 75cm

KG 8

Insulation class

L0484-6

E14 6 x 40W max

Ø 75 cm - **H** 75 cm

KG 10

Insulation class

L0484-8

E14 8 x 40W max

Ø 85 cm - **H** 80 cm

KG 12

Insulation class

D0484-10+5

E14 15 x 40W max

Ø 120 cm - **H** 120 cm

KG 20

Insulation class

S0484-10+5

E14 15 x 40W max

Ø 120 cm - **H** 150 cm

KG 25

Insulation class

S0484-12+6

E14 18 x 40W max

Ø 140 cm - **H** 190 cm

KG 35

Insulation class

Lampshade Colours

Cotton White

Glass Colours

Clear

Graphite

White

Gold

Acacia

Metal Finishing

Polished Nikel

Brushed Nikel

Polished Gold

Brushed Gold

THE MOON

design MULTIFORME



- SEP1222-6+6+3-EL



- SEP1222-12+12-EL






THE MOON technical data

CE IP20 cULus ENEC



APP1222-2+2




💡 E14 4 x 40W max
⚡ -
⚖️ KG 6
⚡ Insulation class

SEP1222-6+6




💡 E14 12 x 40W max
⚡ -
⚖️ KG 25
⚡ Insulation class

SEP1222-6+6+3




💡 E14 15 x 40W max
⚡ -
⚖️ KG 35
⚡ Insulation class

SEP1222-12+12




💡 E14 15 x 40W max
⚡ -
⚖️ KG 60
⚡ Insulation class

• Glass Colours




Silver




Bubble Glass

• Lampshade Colours



Taupe Brown

• Metal Finishing




Polished Nickel



Brushed Nickel



Polished Gold



Brushed Gold

TRESOR

design MULTIFORME



- LK0284-9-K








TRESOR technical data



APK0284-1
E14 1 x 40W max
W 25 cm - D 30 cm - H 40 cm
KG 2
Insulation class



APK0284-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 40 cm
KG 3
Insulation class




LK0284-6
E14 6 x 40W max
Ø 75 cm - H 70 cm
Ø 12 cm
L 50 cm
KG 12
Insulation class



LK0284-9
E14 9 x 40W max
Ø 110 cm - H 85 cm
Ø 12 cm
L 50 cm
KG 20
Insulation class

• Glass Colours



• Metal Finishing



SIMPLICISSIMUS 360

design MULTIFORME



- LE0360-10+5-K





- L0360-6-B3



- L0360-6-F1



SIMPLICISSIMUS 360 technical data

CE IP20 cULus EAC



AP0360-2

E14 2 x 40W max

W 40 cm - D 25 cm - H 25 cm

-

-

KG 2

Insulation class

AP0360-3

E14 3 x 40W max

W 45 cm - D 30 cm - H 25 cm

-

-

KG 3

Insulation class

L0360-5-MG

E14 5 x 40W max

Ø 65 cm - H 70 cm

Ø 12 cm

L 50 cm

KG 8

Insulation class

L0360-6

E14 6 x 40W max

Ø 75 cm - H 75 cm

Ø 12 cm

L 50 cm

KG 10

Insulation class

L0360-12

E14 12 x 40W max

Ø 110 cm - H 90 cm

Ø 12 cm

L 50 cm

KG 20

Insulation class

LE0360-10+5

E14 15 x 40W max

Ø 95 cm - H 95 cm

Ø 12 cm

L 50 cm

KG 25

Insulation class

D0360-16+8

E14 24 x 40W max

Ø 120 cm - H 110 cm

Ø 12 cm

L 50 cm

KG 40

Insulation class

P0360-6

E14 6 x 40W max

Ø 55 cm - H 185 cm


Ø 14 cm

L 100 cm


KG 15

Insulation class

• Glass Colours



• Metal Finishing



DIAMANTE

design MULTIFORME



- L0355-6-AC



- D0355-6+3-CK




- AP0355-2-WK




DIAMANTE technical data


CE IP20 cULus ENEC




AP0355-1
E14 1 x 40W max
W 15 cm - D 30 cm - H 30 cm
KG 2
Insulation class




AP0355-2
E14 2 x 40W max
W 35 cm - D 25 cm - H 30 cm
KG 3
Insulation class




AP0355-3
E14 3 x 40W max
W 40 cm - D 30 cm - H 30 cm
KG 4
Insulation class




L0355-5-MG
E14 5 x 40W max
W 70 cm - D 70 cm - H 85 cm
Ø 12 cm
L 50 cm
KG 8
Insulation class




L0355-6
E14 6 x 40W max
Ø 75 cm - H 90 cm
Ø 12 cm
L 50 cm
KG 10
Insulation class



LE0355-6+3
E14 9 x 40W max
Ø 80 cm - H 90 cm
Ø 12 cm
L 50 cm
KG 13
Insulation class



LE0355-6+6
E14 12 x 40W max
Ø 105 cm - H 105 cm
Ø 12 cm
L 50 cm
KG 18
Insulation class



D0355-6+3
E14 9 x 40W max
Ø 75 cm - H 90cm
Ø 12 cm
L 50 cm
KG 15
Insulation class

• Glass Colours



• Metal Finishing




COCO

design MULTIFORME



- APEP0371-2-CAA



- DP0371-6+6+6-CAA



- APEP0371-2+1-CAA



COCO technical data

CE IP20 C UL US EAC



APP0371-2

Light bulb icon E14 2 x 40W max W 35 cm - D 25 cm - H 30 cm

Light bulb icon - L 50 cm kg KG 2 Insulation class

APEP0371-2+1

Light bulb icon E14 3 x 40W max W 40 cm - D 30 cm - H 35 cm

Light bulb icon - L 50 cm kg KG 3 Insulation class

DP0371-10+5

Light bulb icon E14 15 x 40W max Ø 100 cm - H 100 cm

Light bulb icon Ø 12 cm L 50 cm kg KG 15 Insulation class

DP0371-6+6+6

Light bulb icon E14 18 x 40W max Ø 105 cm - H 90 cm

Light bulb icon Ø 12 cm L 50 cm kg KG 20 Insulation class

LP0371-5-MB

Light bulb icon E14 5 x 40W max Ø 45 cm - H 55 cm

Light bulb icon Ø 12 cm L 50 cm kg KG 6 Insulation class

LP0371-7

Light bulb icon E14 7 x 40W max Ø 80 cm - H 65 cm

Light bulb icon Ø 12 cm L 50 cm kg KG 8 Insulation class

LP0371-9

Light bulb icon E14 9 x 40W max Ø 110 cm - H 70 cm

Light bulb icon Ø 12 cm L 50 cm kg KG 10 Insulation class

DP0371-6+6-MG

Light bulb icon E14 12 x 40W max Ø 70 cm - H 75 cm

Light bulb icon Ø 12 cm L 50 cm kg KG 12 Insulation class

• Lampshade Colours

D	A
Cotton Grey	Cotton Acacia

• Glass Colours

C	CA	D2
Clear	Clear / Acacia	Graphite

• Metal Finishing

N	N1	K	K1
Polished Nikel	Brushed Nikel	Polished Gold	Brushed Gold

CAPRICCIO 550

design MULTIFORME



- L0550-6-F2



- D0550-12+6-CA





- L0550-5-KJ-MB
- L0550-5-KB-MB



- L0550-5-KM1-MB
- L0550-5-KW-MB





- D0550-10+5-F



CAPRICCIO 550 technical data

CE IP20 cULus EAC




AP0550-1  ⚡ E14 1 x 40W max ↗ W 25 cm - D 30 cm - H 40 cm ⚙ - ⚙ - ⚖ KG 2 ⚡ Insulation class	AP0550-2  ⚡ E14 2 x 40W max ↗ W 35 cm - D 25 cm - H 40 cm ⚙ - ⚙ - ⚖ KG 3 ⚡ Insulation class
AP0550-3  ⚡ E14 3 x 40W max ↗ W 40 cm - D 30 cm - H 40 cm ⚙ - ⚙ - ⚖ KG 4 ⚡ Insulation class	PL0550  ⚡ E14 3 x 40W max ↗ Ø 65 cm - H 50 cm ⚙ - ⚙ - ⚖ KG 7 ⚡ Insulation class
L0550-5-MC  ⚡ E14 5 x 40W max ↗ Ø 55 cm - H 60 cm ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 7 ⚡ Insulation class	L0550-6  ⚡ E14 6 x 40W max ↗ Ø 75 cm - H 75 cm ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 9 ⚡ Insulation class



SM0550-6

• E14 6 x 40W max Ø 80 cm - H 105 cm

• Ø 12 cm L 50 cm KG 10 Insulation class



L0550-8

• E14 8 x 40W max Ø 95 cm - H 90 cm


• Ø 12 cm L 50 cm KG 12 Insulation class



L0550-12

• E14 12 x 40W max Ø 120 cm - H 90 cm


• Ø 12 cm L 50 cm KG 15 Insulation class



D0550-10+5

• E14 15 x 40W max Ø 110 cm - H 120 cm


• Ø 12 cm L 50 cm KG 20 Insulation class



D0550-12+6

• E14 18 x 40W max Ø 120 cm - H 140 cm

• Ø 12 cm L 50 cm KG 25 Insulation class




D0550-12+6+6


• E14 24 x 40W max Ø 120 cm - H 160 cm

• Ø 14 cm L 100 cm KG 35 Insulation class

• Glass Colours



• Metal Finishing



CAPRICCIO 560

design MULTIFORME




- LE0560-6+3-C




- LE0560-6+WJ-MG

CAPRICCIO 560 technical data


CE IP20 cULus ENEC




AP0560-1
E14 1 x 40W max
W 25 cm - D 35 cm - H 40 cm
KG 2
Insulation class




AP0560-2
E14 2 x 40W max
W 40 cm - D 30 cm - H 40 cm
KG 3
Insulation class




L0560-6-MG
E14 6 x 40W max
Ø 12 cm
L 50 cm
KG 9
Insulation class



L0560-6
E14 6 x 40W max
Ø 12 cm
L 50 cm
KG 10
Insulation class



L0560-8
E14 8 x 40W max
Ø 12 cm
L 50 cm
KG 12
Insulation class




LE0560-6+3
E14 9 x 40W max
Ø 12 cm
L 50 cm
KG 15
Insulation class

• Glass Colours



• Metal Finishing



FLUAGE

design MULTIFORME



- SRE0278-6+3-VA



- SRE0278-8+8-S



- SRE0278-6+3-B4




- L0278-6-F2



- L0278-8+4-K






 **E14** 1 x 40W max  **W** 25 cm - **D** 30 cm - **H** 40 cm
 -  -  **KG** 2  Insulation class




 E14 2 x 40W max	 W 35 cm - D 25 cm - H 40 cm
 -  -	 KG 3  Insulation class



 **E14** 9 x 40W max
  Ø 100 cm - H 100 cm

 Ø 12 cm
  L 50 cm
  **KG** 25
  Insulation class



 **E14** 16 x 40W max
  Ø 130 cm - H 140 cm

 Ø 12 cm
  L 50 cm
  **KG** 40
  Insulation class



 **G9** 5 x 40W max
  Ø 40 cm - H 60 cm

 Ø 12 cm
  L 50 cm
  **KG** 10
  Insulation class



 **E14** 6 x 40W max
  Ø 80 cm - H 75 cm

 Ø 12 cm
  L 50 cm
  **KG** 12
  Insulation class




 **E14** 8 x 40W max
  Ø 95 cm - H 90 cm

 Ø 12 cm
  L 50 cm
  **KG** 16
  Insulation class




 E14 12 x 40W max	 Ø 95 cm - H 135 cm
 Ø 12 cm	 L 50 cm
 KG x	 Insulation class

- Glass Colours



Seta



Moka



Cornflower




Ivory



Gold

- Metal Finishing



Polished Nickel



Brushed Nikel



Polished Gold



Brushed Gold

MONTECRISTO

design MULTIFORME



- SRP0545-8-JJ



- SRP0545-8-CW



- APRP0545-2-CW



• SRP0545-12+6-CW





MONTECRISTO technical data

CE IP20 cULus ENEC

APV0545-1 E14 1 x 40W max - W 25 cm - D 15 cm - H 40 cm kg KG 2 Insulation class	APRP0545-2 E14 2 x 40W max - W 35 cm - D 30 cm - H 45 cm kg KG 4 Insulation class
SRP0545-8 E14 8 x xxW max Ø 12 cm L 50 cm kg KG 20 Insulation class	SRP0545-12+6 E14 18 x 40W max Ø 12 cm L 50 cm kg KG 40 Insulation class

• Glass Colours

C

Clear

J

Black

• Lampshade Colours

W

Cotton White

J

Cotton Black

• Metal Finishing

N

Polished Nikel

N1

Brushed Nikel

K

Polished Gold

K1

Brushed Gold

PASTERNAK

design MULTIFORME



- SK1035-8-F



- SK1036-48-A



- LK1035-6-F2





APK1035-1

E14 1 x 40W max

W 15 cm - **D** 30 cm - **H** 35 cm

- - **KG** 2 Insulation class

APK1035-2

E14 2 x 40W max

W 40 cm - **D** 25 cm - **H** 35 cm

- - **KG** 2 Insulation class

SK1035-32

E14 32 x 40W max

Ø 145 cm - **H** 200 cm

Ø 14 cm **L** 100 cm **KG** 75x Insulation class

SK1036-48

E14 48 x 40W max

Ø 155 cm - **H** 200 cm

Ø 14 cm **L** 100 cm **KG** 100 Insulation class

LK1035-6

E14 6 x 40W max

Ø 70 cm - **H** 85 cm

Ø 12 cm **L** 50 cm **KG** 10 Insulation class

SK1035-8

E14 8 x 40W max

Ø 90 cm - **H** 115 cm

Ø 12 cm **L** 50 cm **KG** 15 Insulation class

SK1035-16

E14 16 x 40W max

Ø 110 cm - **H** 130 cm

Ø 12 cm **L** 50 cm **KG** 35 Insulation class


SK1035-25

E14 25 x 40W max

Ø 135 cm - **H** 170 cm

Ø 14 cm **L** 100 cm **KG** 50 Insulation class

• Glass Colours



• Metal Finishing



ACCADUEO

design MULTIFORME



- L0090-8-CK



- DPL0090-6+12-C



- AP0090-2-CA





AP0090-1



E14 1 x 40W max

W 25 cm - **D** 35 cm - **H** 40 cm

KG 2

Insulation class

AP0090-2



E14 2 x 40W max

W 40 cm - **D** 30 cm - **H** 40 cm

KG 3

Insulation class

DPL0090-3+6




E14 9 x 40W max

Ø 95 cm - **H** 70 cm

KG 12

Insulation class

DPL0090-6+12




E14 18 x 40W max

Ø 105 cm - **H** 75 cm

KG 25

Insulation class

L0090-6




E14 6 x 40W max

Ø 80 cm - **H** 80cm

KG 10

Insulation class

PL0090-8




E14 8 x 40W max

Ø 100 cm - **H** 60 cm

KG 12

Insulation class

L0090-8




E14 8 x 40W max

Ø 100 cm - **H** 85 cm

KG 15

Insulation class

S0090-6



E14 6 x xxW max

Ø 90 cm - **H** 115 cm


KG 15

Insulation class

• Glass Colours



• Metal Finishing



BOVARY

design MULTIFORME



- S0811-16+8+4-W





- S0811-24+12+6-A1




- AP0811-2-W




- L0811-12-JCK







AP0811-1
E14 1 x 40W max W 25 cm - D 30 cm - H 40 cm
- - KG 2 Insulation class




AP0811-2
E14 2 x 40W max W 40 cm - D 25 cm - H 40 cm
- - KG 3 Insulation class




L0811-5
E14 5 x 40W max Ø 70 cm - H 65 cm
Ø 12 cm L 50 cm KG 8 Insulation class



L0811-6
E14 6 x 40W max Ø 90 cm - H 80 cm
Ø 12 cm L 50 cm KG 12 Insulation class




L0811-12
E14 12 x 40W max Ø 120 cm - H 90 cm
Ø 12 cm L 50 cm KG 25 Insulation class



D0811-12+6
E14 18 x 40W max Ø 120 cm - H 120 cm
Ø 12 cm L 50 cm KG 35 Insulation class



S0811-16+8+4
E14 28 x 40W max Ø 160 cm - H 220 cm
Ø 14 cm L 100 cm KG 60 Insulation class




S0811-24+12+6
E14 42 x 40W max Ø 200 cm - H 300 cm
Ø 14 cm L 100 cm KG 160 Insulation class

• Glass Colours



• Metal Finishing



V-CLASSIC 800

design MULTIFORME



- L0823-10-K



- APE0829-3+2-CA



- S0820-12+6-CK



- L0820-5-CQ-MC



- S0823-8-J






- L0820-5-CG-MC
- L0820-5-CB-MC



- L0820-5-CR-MC
- L0820-5-CM-MC

V-CLASSIC 800 technical data

CE IP20 C_{UL} US EAC



F0820-5
E14 5 x 40W max
Ø 50 cm - H 70 cm
KG 8
Insulation class




P0820-5
E14 5 x 40W max
Ø 60 cm - H 195 cm
KG 20
Insulation class



L0820-5-MC
E14 5 x 40W max
Ø 55 cm - H 60 cm
L 50 cm
KG 6
Insulation class




L0820-5-MG
E14 5 x 40W max
Ø 65 cm - H 70 cm
L 50 cm
KG 8
Insulation class




AP0820-1
E14 1 x 40W max
W 25 cm - D 30 cm - H 40 cm
KG 2
Insulation class




AP0820-2
E14 2 x 40W max
W 35 cm - D 30 cm - H 40 cm
KG 3
Insulation class



L0820-6
E14 6 x 40W max
Ø 75 cm - H 80 cm
L 50 cm
KG 10
Insulation class



L0820-8
E14 8 x 60W max
Ø 95 cm - H 90 cm
L 50 cm
KG 12
Insulation class




AP0826-3
E14 3 x 40W max
W 45 cm - D 30 cm - H 40 cm
KG 4
Insulation class




APE0820-3+2
E14 5 x 40W max
W 50 cm - D 55 cm - H 55 cm
KG 8
Insulation class




L0820-10
E14 10 x 60W max
Ø 100 cm - H 90 cm
L 50 cm
KG 20
Insulation class




L0820-12
E14 12 x 40W max
Ø 110 cm - H 90 cm
L 50 cm
KG 25
Insulation class




S0820-6
E14 6 x 40W max
Ø 12 cm L 50 cm KG 12 Insulation class



S0820-8
E14 8 x 40W max
Ø 12 cm L 50 cm KG 15 Insulation class




D0820-8+4
E14 12 x 40W max
Ø 12 cm L 50 cm KG 25 Insulation class




S0820-12+6
E14 18 x 40W max
Ø 14 cm L 100 cm KG 35 Insulation class

• Glass Colours

 CK Clear / Gold	 CA Clear / Acacia	 WC White / Clear	 D2C Graphite / Clear	 CG Clear / Primavera
---	---	--	--	--

• Metal Finishing

 N Polished Nikel	 N1 Brushed Nikel	 K Polished Gold	 K1 Brushed Gold
--	--	---	---

V-CLASSIC 900

design MULTIFORME



- L0909-8-S



- D0906-8+4-CK



V-CLASSIC 900 technical data

CE IP20 cULus EAC




AP0909-1



Light bulb: E14 1 x 40W max
Dimensions: W 25 cm - D 35 cm - H 40 cm
Weight: KG 2
Insulation class: I

AP0909-2




Light bulb: E14 2 x 40W max
Dimensions: W 40 cm - D 30 cm - H 40 cm
Weight: KG 3
Insulation class: I

AP0909-3




Light bulb: E14 3 x 40W max
Dimensions: W 45 cm - D 35 cm - H 40 cm
Weight: KG 4
Insulation class: I

L0909-5-MC




Light bulb: E14 5 x 40W max
Dimensions: Ø 60 cm - H 60 cm
Weight: KG 5
Insulation class: I

L0909-6




Light bulb: E14 6 x 40W max
Dimensions: Ø 80 cm - H 80 cm
Weight: KG 10
Insulation class: I


L0909-8




Light bulb: E14 8 x 40W max
Dimensions: Ø 100 cm - H 90 cm
Weight: KG 12
Insulation class: I




L0909-10
E14 10 x 40W max
Ø 12 cm L 50 cm KG 20 Insulation class




L0909-12
E14 12 x 40W max
Ø 12 cm L 50 cm KG 25 Insulation class




D0909-8+4
E14 12 x 40W max
Ø 12 cm L 50 cm KG 25 Insulation class



PL0909-5-MC
E14 5 x 40W max
Ø 60 cm H 40cm KG 5 Insulation class




PL0909-6-MG
E14 6 x 40W max
Ø 70 cm H 55 cm KG 6 Insulation class




LA0909
E14 1 x 40W max
Ø 25 cm H 30 cm KG 1 Insulation class

• Glass Colours



• Metal Finishing



V-MAGIC

design MULTIFORME




- SRP0434-8-DCV






V-MAGIC technical data




APR0434-2
E14 2 x 40W max
W 45 cm - D 25 cm - H 45 cm
KG 5
Insulation class



SRP0434-6
E14 6 x 40W max
Ø 90 cm - H 80 cm
L 50 cm
KG 20
Insulation class



SRP0434-8
E14 8 x 40W max
Ø 110 cm - H 100 cm
L 50 cm
KG 30
Insulation class




SP0434-12
E14 12 x 40W max
Ø 130 cm - H 110 cm
L 50 cm
KG 45
Insulation class


• Glass Colours



• Lampshade Colours



• Metal Finishing



FENIX

design MULTIFORME



- L0170-6-CKRZ



FENIX technical data

CE IP20 C_{UL} US EAC



AP0170-1

Light bulb: E14 1 x 40W max
Dimensions: W 25 cm - D 30 cm - H 40 cm
Weight: KG 2
Insulation class

AP0170-2

Light bulb: E14 2 x 40W max
Dimensions: W 40 cm - D 25 cm - H 40 cm
Weight: KG 3
Insulation class

L0170-3-MC

Light bulb: E14 3 x 40W max
Dimensions: Ø 55 cm - H 60 cm
Weight: KG 5
Insulation class

L0170-5-MC

Light bulb: E14 5 x 40W max
Dimensions: Ø 55 cm - H 60 cm
Weight: KG 6
Insulation class

L0170-5-MG

Light bulb: E14 5 x 40W max
Dimensions: Ø 65 cm - H 70 cm
Weight: KG 8
Insulation class

L0170-6

Light bulb: E14 6 x 40W max
Dimensions: Ø 75 cm - H 80 cm
Weight: KG 12
Insulation class

L0170-8

Light bulb: E14 8 x 40W max
Dimensions: Ø 95 cm - H 90 cm
Weight: KG 15
Insulation class


S0170-6

Light bulb: E14 6 x 40W max
Dimensions: Ø 75 cm - H 115 cm
Weight: KG 15
Insulation class

• Glass Colours



• Metal Finishing



GOLDEN CENTURY 86

design MULTIFORME



- L0086-8-CK



- AP0086-2-CK




- L0086-5-A1





AP0086-1
E14 1 x 40W max
W 25 cm - D 35 cm - H 40 cm
KG 2 Insulation class




AP0086-2
E14 2 x 40W max
W 40 cm - D 30 cm - H 40 cm
KG 3 Insulation class




L0086-3-MC
E14 3 x 40W max
Ø 12 cm L 50 cm KG 6 Insulation class



L0086-5-MG
E14 5 x 40W max
Ø 12 cm L 50 cm KG 8 Insulation class




L0086-6
E14 6 x 40W max
Ø 12 cm L 50 cm KG 12 Insulation class



L0086-8
E14 8 x 40W max
Ø 12 cm L 50 cm KG 15 Insulation class



S0086-6
E14 6 x 40W max
Ø 12 cm L 50 cm KG 15 Insulation class




LA0086-2
E14 1 x 40W max
Ø 25 cm - H 30 cm KG 1 Insulation class

• Glass Colours



• Metal Finishing



GOLDEN CENTURY 87

design MULTIFORME




- L0087-6-CK




GOLDEN CENTURY 87 technical data


CE IP20 cULus EAC



AP0087-1
E14 1 x 40W max
W 25 cm - D 30 cm - H 40 cm
KG 2
Insulation class




AP0087-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 40 cm
KG 6
Insulation class



L0087-5-MC
E14 5 x 40W max
Ø 55 cm - H 60 cm
Ø 12 cm
L 50 cm
KG 6
Insulation class



L0087-6
E14 6 x 40W max
Ø 75 cm - H 80 cm
Ø 12 cm
L 50 cm
KG 12
Insulation class



L0087-8
E14 8 x 40W max
Ø 95 cm - H 90 cm
Ø 12 cm
L 50 cm
KG 15
Insulation class




L0087-12
E14 12 x 40W max
Ø 120 cm - H 100 cm
Ø 12 cm
L 50 cm
KG 25
Insulation class

• Glass Colours



• Metal Finishing



GALLIANO

design MULTIFORME



- L0402-6-CRZ-MB



- SR0402-6-CKG




- L0402-6-CAK-MB
- L0402-6-D2CK-MB




- L0402-6-KB-MB
- L0402-6-CM1K-MB







AP0402-1
E14 1 x 40W max
W 25 cm - D 30 cm - H 40 cm
KG 3
Insulation class




AP0402-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 40 cm
KG 4
Insulation class




L0402-6-MB
G9 6 x 40W max
Ø 12 cm - L 50 cm
KG 6
Insulation class



L0402-6
E14 6 x 40W max
Ø 12 cm - L 50 cm
KG 15
Insulation class




L0402-10
E14 10 x 40W max
Ø 80 cm - H 80 cm
KG 25
Insulation class



SR0402-6
E14 6 x 40W max
Ø 80 cm - H 80 cm
KG 20
Insulation class

• Glass Colours



• Metal Finishing



GIUDECCA

design MULTIFORME



- SR0898-12+6-J



- F0898-5-J



- APRE0898-3+2-C





• SR0898-12+6-X



GIUDECCA technical data

CE IP20 cULus ENEC






APRE0898-3+2  ⚡ E14 5 x 40W max ↗ W 65 cm - D 35 cm - H 65 cm ⚙ - ⚙ - ⚖ KG 8 ⚡ Insulation class	F0898-5  ⚡ E14 5 x 40W max ↗ W 70 cm - D 70 cm - H 120 cm ⚙ - ⚙ - ⚖ KG 12 ⚡ Insulation class
SR0898-12  ⚡ E14 12 x 40W max ↗ Ø 140 cm - H 145 cm ⚙ Ø 12 cm ⚙ L 50 cm ⚖ KG 40 ⚡ Insulation class	SR0898-12+6  ⚡ E14 18 x 40W max ↗ Ø 140 cm - H 195 cm ⚙ Ø 14 cm ⚙ L 100 cm ⚖ KG 60 ⚡ Insulation class

• Glass Colours

C  Clear	J  Black	X2  Rosso Corsa
---	---	--

• Metal Finishing

N  Polished Nickel	N1  Brushed Nickel	K  Polished Gold	K1  Brushed Gold
---	---	---	---

TOFFEE

design MULTIFORME




- SR0727-10-CPZ





• SRM0727-6-CPZ

• APR0727-2-CPZ



TOFFEE technical data

CE IP20 cULus EAC



APR0727-2
E14 2 x 40W max W 40 cm - D 25 cm - H 55 cm
- - KG 3 Insulation class



APR0727-3
E14 3 x 40W max W 45 cm - D 30 cm - H 55 cm
- - KG 5 Insulation class




APR0727-3+2
E14 5 x 40W max W 50 cm - D 30 cm - H 85 cm
- - KG 8 Insulation class



SRM0727-6
E14 6 x 40W max Ø 80 cm - H 85 cm
Ø 12 cm L 50 cm KG 16 Insulation class




SRM0727-8
E14 8 x 40W max Ø 90 cm - H 95 cm
Ø 12 cm L 50 cm KG 24 Insulation class



SRM0727-10
E14 10 x 40W max Ø 100 cm - H 100 cm
Ø 12 cm L 50 cm KG 30 Insulation class



SRM0727-12
E14 12 x 40W max W 110 cm - D 110 cm - H 110 cm
Ø 12 cm L 50 cm KG 35 Insulation class




SRM0727-10+5
E14 12 x 40W max Ø 120 cm - H 140 cm
Ø 12 cm L 50 cm KG 45 Insulation class

• Glass Colours



• Metal Finishing



TOFFEE V

design MULTIFORME



- S0727-8-CPZ



- AP0727-3+2-CPZ



- SM0727-8-CK




TOFFEE V technical data


CE IP20 cULus ENEC




AP0727-1
E14 1 x 40W max
W 25 cm - D 30 cm - H 55 cm
KG 2
Insulation class




AP0727-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 55 cm
KG 33
Insulation class



AP0727-3+2
E14 5 x 40W max
W 45 cm - D 30 cm - H 80 cm
KG 6
Insulation class



SM0727-6
E14 6 x 40W max
Ø 80 cm - H 90 cm
Ø 12 cm
L 50 cm
KG 12
Insulation class



SM0727-8
E14 8 x 40W max
Ø 100 cm - H 90 cm
Ø 12 cm
L 50 cm
KG 18
Insulation class




SM0727-12
E14 12 x 40W max
Ø 120 cm - H 100 cm
Ø 12 cm
L 50 cm
KG 25
Insulation class

• Glass Colours



• Metal Finishing



CAESAR design MULTIFORME



• RE0001-18+9+6-CK

- R0001-6-CA





- R0001-9-CPZK




- APR0001-3-CPZK



• R0001-12-C





APR0001-1
E14 1 x 40W max
W 25 cm - D 30 cm - H 50 cm
KG 2
Insulation class




APR0001-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 50 cm
KG 3
Insulation class




APR0001-3
E14 3 x 40W max
W 50 cm - D 30 cm - H 50 cm
KG 5
Insulation class




R0001-6-MC
E14 6 x 40W max
Ø 70 cm - H 75 cm
KG 12
Insulation class




R0001-6
E14 6 x 40W max
Ø 95 cm - H 100 cm
KG 20
Insulation class



RE0001-6+3
E14 9 x 40W max
Ø 95 cm - H 105 cm
KG 25
Insulation class



R0001-9
E14 9 x 40W max
Ø 100 cm - H 100 cm
KG 25
Insulation class



R0001-12
E14 12 x 40W max
Ø 120 cm - H 135 cm
KG 35
Insulation class




FR0001-5
E14 5 x 40W max
Ø 50 cm - H 80 cm
KG 12
Insulation class




PR0001-5
E14 5 x 40W max
Ø 60 cm - H 180 cm
KG 30
Insulation class

• Glass Colours



• Metal Finishing



CAESAR V

design MULTIFORME

• S0001-12+6-C



• AP0001-4+3-C





CAESAR V technical data



AP0001-4

⚡ E14 4 x 40W max ↗ W 70 cm - D 40 cm - H 60 cm

⚙ - ⚙ - ⚖ KG 5 ⚡ Insulation class

AP0001-4+3

⚡ E14 7 x 40W max ↗ W 70 cm - D 40 cm - H 100 cm


⚙ - ⚙ - ⚖ KG 8 ⚡ Insulation class

S0001-12+6


⚡ E14 18 x 40W max ↗ W 125 cm - D 125 cm - H 180 cm

⚙ Ø 14 cm ⚙ L 100 cm ⚖ KG 35 ⚡ Insulation class

• Glass Colours



• Metal Finishing



REGALE

design MULTIFORME



- SR0113-10-CK



- SRE0113-8+8-K



• PR0113-5-CK



• APR0113-3+2-CK




REGALE technical data

CE IP20 cULus EAC




APR0113-1
E14 1 x 40W max W 25 cm - D 30 cm - H 40 cm
- - kg KG 2 Insulation class




APR0113-2
E14 2 x 40W max W 40 cm - D 25 cm - H 40 cm
- - kg KG 3 Insulation class




APR0113-3
E14 3 x 40W max W 50 cm - D 30 cm - H 40 cm
- - kg KG 5 Insulation class



APR0113-3+2
E14 5 x 40W max W 50 cm - D 30 cm - H 70 cm
- - kg KG 10 Insulation class



SR0113-8
E14 8 x 40W max Ø 110 cm - H 90 cm
Ø 12 cm L 50 cm kg KG 24 Insulation class



SR0113-10
E14 10 x 40W max Ø 110 cm - H 90 cm
Ø 12 cm L 50 cm kg KG 30 Insulation class



SR0113-12
E14 12 x 40W max Ø 130 cm - H 100 cm
Ø 12 cm L 50 cm kg KG 40 Insulation class



SRE0113-8+8
E14 16 x 40W max Ø 145 cm - H 100 cm
Ø 12 cm L 50 cm kg KG 55 Insulation class




FR0113-3
E14 3 x 40W max Ø 55 cm - H 80 cm
- - kg KG 12 Insulation class



PR0113-5
E14 5 x 40W max Ø 70 cm - H 190 cm
- - kg KG 30 Insulation class

• Glass Colours



• Metal Finishing



SHERAZADE

design MULTIFORME



- R0737-12-CK





- APR0737-3-CK

SHERAZADE technical data

CE IP20 cULus EAC



APR0737-2




Light bulb: E14 2 x 40W max
Dimensions: W 40 cm - D 25 cm - H 50 cm
Weight: KG 3
Insulation class: I

APR0737-3




Light bulb: E14 3 x 40W max
Dimensions: W 55 cm - D 30 cm - H 55 cm
Weight: KG 5
Insulation class: I

APR0737-3+2



Light bulb: E14 5 x 40W max
Dimensions: W 55 cm - D 35 cm - H 85 cm
Weight: KG 10
Insulation class: I

R0737-12




Light bulb: E14 12 x 40W max
Dimensions: Ø 145 cm - H 120 cm
Weight: KG 50
Insulation class: I

• Glass Colours



• Metal Finishing



KIA ORA

design MULTIFORME




- RE0725-6+3+3-CUPZ




- RE0725-12+4+4+4-CPZ




- SRE0725-6+3-CUPZ





APR0725-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 50 cm
Ø 12 cm L 50 cm KG 3 Insulation class




SR0725-5-MC
E14 5 x 40W max
Ø 70 cm - H 60 cm
Ø 12 cm L 50 cm KG 10 Insulation class




FR0725-3
E14 3 x 40W max
Ø 55 cm - H 80 cm
Ø 12 cm L 50 cm KG 12 Insulation class




P0725-5
E14 5 x 40W max
Ø 60 cm - H 180 cm
Ø 12 cm L 50 cm KG 30 Insulation class




SRE0725-6+3
E14 9 x 40W max
Ø 125 cm - H 115 cm
Ø 12 cm L 50 cm KG 25 Insulation class



RE0725-6+3+3
E14 12 x 40W max
Ø 100 cm - H 115 cm
Ø 12 cm L 50 cm KG 35 Insulation class



SRM0725-12
E14 12 x 40W max
Ø 120 cm - H 100 cm
Ø 12 cm L 50 cm KG 35 Insulation class



RE0725-12+4+4+4
E14 24 x 40W max
Ø 165 cm - H 175 cm
Ø 14 cm L 100 cm KG 90 Insulation class

• Glass Colours



• Metal Finishing



NABUCCO

design MULTIFORME



- R0739B-16+8+8-C

- R0739-12+4+4-CK






- R0739-16+8+8-CKWZ






NABUCCO technical data


CE IP20 cULus ENEC




APR0739-2
E14 2 x 40W max
W 40 cm - D 25 cm - H 50 cm
KG 3
Insulation class



APR0739-3
E14 3 x 40W max
W 45 cm - D 30 cm - H 50 cm
KG 4
Insulation class



APR0739-3+2
E14 5 x 40W max
W 55 cm - D 35 cm - H 85 cm
KG 8
Insulation class




R0739-6
E14 6 x 40W max
Ø 12 cm
L 50 cm
KG 20
Insulation class



R0739-12+4+4
E14 20 x 40W max
Ø 14 cm
L 100 cm
KG 70
Insulation class



R0739B-16+8+8
E14 32 x 40W max
Ø 14 cm
L 100 cm
KG 80
Insulation class



R0739-16+8+8
E14 32 x 40W max
Ø 14 cm
L 100 cm
KG 90
Insulation class




PR0739-6+3
E14 9 x 40W max
Ø 80 cm - H 200 cm
KG 35
Insulation class

• Glass Colours




• Metal Finishing



VILLA BORGHESE

design MULTIFORME



- R0746-9-CPZ






- RB0746-10-CK






VILLA BORGHESE technical data




APR0746-3
E14 3 x 40W max
W 45 cm - D 30 cm - H 50 cm
KG 4
Insulation class



RB0746-8
E14 8 x 40W max
W 100 cm - D 140 cm - H 110 cm
Ø 12 cm
L 50 cm
KG 25
Insulation class



R0746-9
E14 9 x 40W max
Ø 12 cm
L 50 cm
KG 35
Insulation class




RB0746-10
E14 10 x 40W max
W 120 cm - D 160 cm - H 175 cm
Ø 14 cm
L 100 cm
KG 50
Insulation class

• Glass Colours



• Metal Finishing



VILLA MEDICI

design MULTIFORME



- RB0738-12+6-CK

• APR0738-3+2-CK



VILLA MEDICI technical data

CE IP20 cULus EAC



APR0738-2+1



E14 3 x 40W max W 45 cm - D 30 cm - H 85 cm
- - kg KG 4 Insulation class

APR0738-3+2




E14 5 x 40W max W 55 cm - D 35 cm - H 85 cm
- - kg KG 8 Insulation class

RB0738-10




E14 10 x 40W max W 110 cm - D 160 cm - H 110 cm
Ø 12 cm L 50 cm kg KG 45 Insulation class

RB0738-12+6




E14 18 x xxW max W 125 cm - D 180 cm - H 135 cm
Ø 12 cm L 50 cm kg KG 60 Insulation class

• Glass Colours



• Metal Finishing



VILLA DORIA

design MULTIFORME



- SRE0757-12+6+6-CK







• SR0757-12+6+3-CK

VILLA DORIA technical data

CE IP20 cULus EAC

SR0757-12+6 E14 18 x 40W max Ø 14 cm L 100 cm KG 60 Insulation class Ø 160 cm - H 180 cm	SR0757-12+6+3 E14 21 x 40W max Ø 14 cm L 100 cm KG 70 Insulation class Ø 180 cm - H 200 cm
SRE0757-10+5+5 E14 20 x 40W max Ø 14 cm L 100 cm KG 80 Insulation class Ø 180 cm - H 180 cm	SRE0757-12+6+6 E14 24 x 40W max Ø 14 cm L 100 cm KG 95 Insulation class Ø 190 cm - H 190 cm

• Glass Colours

C Clear	CK Clear / Gold
---	---

• Metal Finishing

N Polished Nikel	N1 Brushed Nikel	K Polished Gold	K1 Brushed Gold
--	--	---	---

ROSAE ROSARUM

design MULTIFORME



- SE0251-6-M2GRZ



- SE0251-6+3-CKZR



ROSAE ROSARUM technical data

CE IP20 cULus ENEC



LMP0251




E27 1 x 40W max
 Ø 40 cm - H 65 cm
 KG 2
 Insulation class

AP0251-2



E14 2 x 40W max
 W 50 cm - D 30 cm - H 50 cm
 KG 4
 Insulation class

S0251-6



E14 6 x 40W max
 Ø 95 cm - H 110 cm
 KG 18
 Insulation class

SE0251-6+3







E14 9 x 40W max
 Ø 95 cm - H 120 cm
 KG 25
 Insulation class

- Glass Colours



- Metal Finishing



GIRASOLE

design MULTIFORME



- S0271-6-CPZ





GIRASOLE technical data

CE IP20 cULus ENEC



AP0271-2

E14 2 x 40W max

W 50 cm - D 30 cm - H 50 cm

- - KG 2 Insulation class

S0271-6

E14 6 x 40W max




Ø 95 cm - H 110 cm

Ø 12 cm L 50 cm KG 18 Insulation class

• Glass Colours



• Metal Finishing



IRIS

design MULTIFORME



- SE0267B-12-CPZ

- L0267-6-CKWZ



- S0267-6-CKRZ



- PL0267-8-CAYZ




• SE0267B-12-CPZ




IRIS technical data


CE IP20 cULus ENEC



AP0267-1
E14 1 x 40W max
W 25 cm - D 35 cm - H 45 cm
KG 2
Insulation class



L0267-5-MG
E14 5 x 40W max
Ø 75 cm - H 70 cm
L 50 cm
KG 9
Insulation class




PL0267-8
E14 8 x 40W max
Ø 95 cm - H 65 cm
KG 25
Insulation class



SS0267-1
E14 1 x 40W max
Ø 15 cm - H 30 cm
L 50 cm
KG 1
Insulation class



L0267-6
E14 6 x 40W max
Ø 90 cm - H 75 cm
L 50 cm
KG 15
Insulation class




S0267-6
E14 6 x 40W max
Ø 90 cm - H 100 cm
L 50 cm
KG 20
Insulation class

• Glass Colours



• Metal Finishing



MATERIA

touch, see, feel, enjoy

EARTHY HUES




Acacia **A**



Ambra **A1**




Tangerine **A2**



Caramello **A3**




Gold **K**




Copper **U**




Champagne **Y4**



Straw **F**



Nut **F1**




Moka **F2**

BLUES



Blu Notte **B**



Bluino **B1**



Denim **B3**




Cornflower **B4**



Ottanio **B5**



Sapphire **B6**



Lotus **B9**



Celeste **Q**



Sky **Q1**



Ocean **Q2**



Aquamarine **Q4**



Riviere **Q6**

BOTANICAL PALETTE




Primavera **G**



Bottiglia **G1**



Laguna **G6**




Olive **G7**



Marino **G2**



Fontana **G3**



Muschio **G8**



Pino **G9**




Chartreuse **G4**



Mela **G5**



Citron **Y1**



Lime **Y2**

ROSE TONES




Rose **R**




Rosa intenso **R2**




Rosa Dune **R3**



Bellini **R5**



Blush **R6**



Ciclamino **R7**




Lilla **H1**



Wisteria **H2**



Ametista **M1**



Melanzana **M2**




Rosso Murano **X**




Rosso Corsa **X2**

GRAYS



Smoke **D**




Graphite **D2**



Slate **D3**



Charcoal **D5**



Silver **E**

NEUTRAL



Clear **C**



Black **J**



Opal **O**



Seta **S**



White **W**

METAL FINISHING



Polished Nikel **N**



Brushed Nikel **N1**



Polished Gold **K**



Brushed Gold **K1**



Burnished Brass **B1**



Dark Burnished Brass **B2**



Polished Copper **U**



Brushed Copper **U1**



Polished Chrome **C**



Black Nikel **NJ**



Polished Brass **Y**



Patina Brass **Y4**

Symbols / Simbologia

CE The “CE” mark required by the European Community with the 93/98/CEE directive states that the luminaire complies with the European technical requirements.
La marcatura "CE" voluta dalla Comunità Europea con direttiva 93/98/CEE attesta la conformità dell'apparecchio ai requisiti richiesti delle norme tecniche.

IP Degree of protection provided against intrusion (body parts such as hands and fingers), dust, accidental contact, and water by mechanical casings and electrical enclosures.
The enclosure of this luminaire IP20 is protected against solid objects up to than 12 mm, no special protection provided against penetration of water.
*Livello di protezione dal contatto con il corpo umano o con oggetti (prima cifra del codice), e la protezione dal contatto con l'acqua.
Apparecchi IP20 sono dotati di involucro protetto dalla penetrazione di corpi solidi superiori a 12 mm e non protetto dalla penetrazione di liquidi.*

EAC The EAC certificate of conformity (EurAseC Conformity: EAC) is an attestation of conformity certifying that products have been considered and assessed as complying with the Technical Regulations of the Eurasian Customs Union (TR-TC: Russia, Belarus, Kazakhstan, Armenia and Kyrgyzstan).
Il certificato di conformità EAC (EurAseC Conformity: EAC) è una attestazione di conformità che certifica con il marchio apposto sui prodotti che questi sono stati considerati e valutati conformi ai Regolamenti Tecnici dell'Unione Doganale euroasiatica (TR-TC: Russia, Bielorussia, Kazakhstan, Armenia e Kirghizistan)

UL LISTED On the North American market, the UL Listing Mark is one of the most commonly used UL Marks. This mark certifies that the product has met UL safety requirements. Our products with the UL logo are currently covered by UL Listing / General Coverage. All E14/E27 products are supplied with the corresponding E12/E26 sockets.
Sul mercato Nord Americano, il Marchio di certificazione UL Listing è uno dei Marchi UL più comunemente usati. Con tale marchio si attesta che il prodotto ha soddisfatto i requisiti di sicurezza UL. I nostri prodotti con il logo UL sono attualmente coperti da UL listing / General Coverage. Tutti i prodotti E14/E27 vengono forniti con i corrispondenti attacchi E12/E26.

UL LISTED In order to comply with UL Listing / General Coverage, the product will undergo minor technical changes that will not affect its aesthetic impact (e.g. replacement of G4/G9 with E12). Before purchasing, please contact our offices for more information.
Per essere adeguato ad UL Listing / General Coverage, il prodotto subirà piccole variazioni tecniche tali da non pregiudicare l'impatto estetico (Ad. esempio sostituzione di G4/G9 con E12). Prima dell'acquisto contatta i nostri uffici per maggiori informazioni.

⏚ Luminaire in which protection against electric shock does not rely on basic insulation only, but which are provided for the connection of accessible conductive parts to protective conductor in the fixed wiring of the installation.
Apparecchio nel quale la protezione contro la scossa elettrica si basa oltre che dall'isolamento principale anche dalla connessione delle parti conduttrici accessibili ad un conduttore di protezione dell'impianto elettrico fisso.

□ The protection against electrical shocks of this luminaire is achieved by simple insulation and some other devices such as double insulation or reinforced insulation. There is no earth cable provided.
Apparecchio dotato di protezione contro la scossa elettrica basata sull'isolamento fondamentale e su misure supplementari quali il doppio isolamento rinforzato.

While maintaining the basic characteristic of the product, MULTIFORME® reserves the right to make modification at any time with the sole aim of improvement.
Ferme restando le caratteristiche basilari del prodotto, MULTIFORME® si riserva di apportare modifiche in ogni momento al solo scopo migliorativo.

Dimensions, shapes, decorations and nuances could have small differences due to handcraft realization. Colours represented in pictures could be different from original colours. Sizes could have allowance of ±5%.
Dimensioni, forme, decorazioni e sfumature potrebbero presentare piccole differenze dovute alla realizzazione artigianale. I colori rappresentati nelle immagini potrebbero essere diversi da quelli originali. Le dimensioni hanno tolleranza del ±5%.

Our Timeless chandeliers are hanged by chains: rods shown in pictures are for display purposes only.
I lampadari della Linea Timeless sono appesi tramite catene: le aste mostrate nelle immagini sono solo a scopo espositivo.

Credits

Pictures from Unsplash: p.11 by Carlos Quintero / p.15 by Hoach Le Dinh

Industrial and Intellectual Property rights

All the designs, brands, trademarks, domain names, the pictures and contents of this catalogue are exclusively owned by MULTIFORME and are protected by the relevant provisions of Industrial and Intellectual Property Law. Their unauthorized reproduction even partial, modification, publication and any other use are strictly prohibited.

Diritti di proprietà industriale e intellettuale

I modelli, i nomi commerciali, i marchi, nomi a dominio, le fotografie ed i testi presenti in questo catalogo sono di esclusiva proprietà di MULTIFORME e protetti secondo le norme a tutela dei diritti di Proprietà Industriale ed intellettuale. Qualsiasi loro riproduzione anche parziale, modifica, pubblicazione o altra forma di utilizzo, se non espressamente autorizzata da MULTIFORME è vietata.

©MULTIFORME all rights reserved

MULTIFORME® sas di Zorzi Renata & C.

Via Montello Il Tronco, 19

35010 Trebaseleghe (PD)

T +39 049 9387669

M +39 333 7570441

info@multiforme.eu - www.multiforme.eu

MADE IN ITALY